

according to Regulation (EC) No 1907/2006

## **Algenschutz**

Revision date: 08.05.2023 Product code: Page 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Algenschutz

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Disinfectant with simultaneous algicidal and fungicidal action in swimming pools

### Uses advised against

Any non-intended use.

### 1.3. Details of the supplier of the safety data sheet

Company name: Peter Huber Kältemaschinenbau SE Street: Werner-von-Siemens-Strasse 1

Place: D-77656 Offenburg

Telephone: +49 (0) 781 9603-0 Telefax: +49 (0) 781 57211

e-mail: info@huber-online.com
Internet: www.huber-online.com
Responsible Department: info@huber-online.com

**1.4. Emergency telephone** Poison Information Center Mainz, Germany, Tel: +49(0)6131/19240

number:

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### **Regulation (EC) No. 1272/2008**

Hazard categories:

Acute toxicity: Acute Tox. 4

Hazardous to the aquatic environment: Aquatic Chronic 1

Hazard Statements: Harmful if swallowed.

Very toxic to aquatic life with long lasting effects.

# 2.2. Label elements

## Regulation (EC) No. 1272/2008

### Hazard components for labelling

N,N-Dimethyl-2-hydroxypropyl ammonium chloride polymer

Signal word: Warning

Pictograms:





#### **Hazard statements**

H302 Harmful if swallowed.

H410 Very toxic to aquatic life with long lasting effects.

### **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/container to Dispose of contents/container in accordance with

local/regional/national/international regulations. .



according to Regulation (EC) No 1907/2006

## **Algenschutz**

Revision date: 08.05.2023 Product code: Page 2 of 11

### Special labelling of certain mixtures

Read attached instructions before use.

#### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
25988-97-0	N,N-Dimethyl-2-hydroxypropyl ammonium chloride polymer			> 20 %
	Acute Tox. 4, Aquatic Chronic 1; H302 H410			

Full text of H and EUH statements: see section 16.

### **Further Information**

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

#### After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment. Take off immediately all contaminated clothing.

### After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.



according to Regulation (EC) No 1907/2006

# Algenschutz

Revision date: 08.05.2023 Product code: Page 3 of 11

### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2).

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Safe handling: see section 7

Personal protection equipment: see section 8

### 6.2. Environmental precautions

Discharge into the environment must be avoided.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not empty into drains.

In case of leakage into waters, ground or the drainage system, the appropriate authorities must be informed.

## 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

## 6.4. Reference to other sections

Disposal: see section 13

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

### Advice on safe handling

Wear suitable protective clothing. See section 8.

### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Further information on handling

General protection and hygiene measures: See section 8.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

### Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 20°C

Protect against: frost. UV-radiation/sunlight. heat. Humidity

### 7.3. Specific end use(s)

See section 1.

# **SECTION 8: Exposure controls/personal protection**



according to Regulation (EC) No 1907/2006

### **Algenschutz**

Revision date: 08.05.2023 Product code: Page 4 of 11

#### 8.1. Control parameters

#### Additional advice on limit values

To date, no national critical limit values exist.

### 8.2. Exposure controls











#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation.

## Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Avoid contact with skin, eyes and clothes. After contact with skin, wash immediately with plenty of water and soap.

# Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible). BS/EN 166

### Hand protection

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm  $\,$ 

Breakthrough time >= 8 h

The selected protective gloves have to satisfy the specifications of EU Directive EC/2016/425 and the standard EN 374 derived from it.

Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

# Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

-exceeding exposure limit values

-insufficient ventilation and aerosol or mist formation

Suitable respiratory protective equipment: particulates filter device (DIN EN 143). Type: P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

### **Environmental exposure controls**

Do not allow uncontrolled discharge of product into the environment.



according to Regulation (EC) No 1907/2006

# **Algenschutz**

Revision date: 08.05.2023 Product code: Page 5 of 11

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: blue
Odour: odourless

pH-Value: 5,7 - 6,2

Changes in the physical state

Melting point: 0 °C
Initial boiling point and boiling range: 100 °C
Sublimation point: not determined
Softening point: not determined
Pour point: not determined
Flash point: not determined
Sustaining combustion: Not sustaining combustion

**Explosive properties** 

none

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

**Auto-ignition temperature** 

Gas: not determined

Decomposition temperature: not determined

**Oxidizing properties** 

none

Vapour pressure: 23 hPa

(at 20 °C)

Density: 1,03 g/cm³
Water solubility: completely miscible

Solubility in other solvents

not determined

Partition coefficient: not determined Viscosity / dynamic: not determined Viscosity / kinematic: not determined Flow time: not determined Vapour density: not determined Evaporation rate: not determined not determined Solvent separation test: Solvent content: not determined

9.2. Other information

Solid content: not determined

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity



according to Regulation (EC) No 1907/2006

## **Algenschutz**

Revision date: 08.05.2023 Product code: Page 6 of 11

No information available.

### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

## 10.3. Possibility of hazardous reactions

Refer to chapter 10.5.

### 10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

### 10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

### 10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2).

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

### Toxicocinetics, metabolism and distribution

No data available.

#### **Acute toxicity**

Harmful if swallowed.

#### **ATEmix calculated**

ATE (oral) 1672,0 mg/kg

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
25988-97-0	N,N-Dimethyl-2-hydroxypropyl ammonium chloride polymer				
	oral	LD50 1672 mg/kg	Rat. female. (OECD 401)	SDS external	
	dermal	LD50 >2000 mg/kg	Rat. female. (OECD 402)	SDS external	

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### Specific effects in experiment on an animal

No data available.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product has not been tested.

CAS No	Chemical name
--------	---------------



according to Regulation (EC) No 1907/2006

# Algenschutz

Revision date: 08.05.2023 Product code: Page 7 of 11

	Aquatic toxicity	Dose	[h]   [d] Species	Source	Method
25988-97-0	N,N-Dimethyl-2-hydroxypr	N,N-Dimethyl-2-hydroxypropyl ammonium chloride polymer			
	Acute fish toxicity	LC50 0,077 mg/l	96 h Oncorhynchus mykiss	MSDS extern	
	Acute algae toxicity	ErC50 0,09 mg/l	72 h Desmodesmus subspicatus	MSDS extern	
	Acute crustacea toxicity	EC50 0,084 mg/l	48 h Daphnia magna	MSDS extern	
	Acute bacteria toxicity	(168 mg/l)	3 h activated sludge	MSDS extern	

### 12.2. Persistence and degradability

Half-life time: > 1 y, pH 4, 7, 9 and 25 °C (Method 92/69/EEC, C7)

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
25988-97-0	N,N-Dimethyl-2-hydroxypropyl ammonium chloride polymer			
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	<60%	27	MSDS extern
	Not easily bio-degradable (according to OECD-criteria).	_		_

### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

### 12.4. Mobility in soil

Adsorption

log Koc > 4.7

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Other adverse effects

No data available.

#### **Further information**

Do not allow to enter into surface water or drains.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

## **Disposal recommendations**

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal.

Non-contaminated packages may be recycled.

According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

### List of Wastes Code - residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors;

hazardous waste

# List of Wastes Code - used product

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors;

hazardous waste

## List of Wastes Code - contaminated packaging



according to Regulation (EC) No 1907/2006

# **Algenschutz**

Revision date: 08.05.2023 Product code: Page 8 of 11

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

### Land transport (ADR/RID)

**14.1. UN number:** UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9



Classification code: M6

Special Provisions: 274 335 375 601

Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 90
Tunnel restriction code: -

Inland waterways transport (ADN)

**14.1. UN number:** UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9



Classification code: M6

Special Provisions: 274 335 375 601

Limited quantity: 5 L Excepted quantity: E1

Marine transport (IMDG)

**14.1. UN number:** UN 3082

**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9



Special Provisions: 274, 335, 969

Limited quantity: 5



according to Regulation (EC) No 1907/2006

Algenschutz
Revision date: 08.05.2023 Product code: Page 9 of 11

Excepted quantity: E1 F-A, S-F

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A97 A158 A197

30 kg G

Y964

E1

IATA-packing instructions - Passenger: 964
IATA-max. quantity - Passenger: 450 L
IATA-packing instructions - Cargo: 964
IATA-max. quantity - Cargo: 450 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



### 14.6. Special precautions for user

Refer to section 6-8

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

2010/75/EU (VOC): No information available. 2004/42/EC (VOC): No information available.

Information according to 2012/18/EU E1 Hazardous to the Aquatic Environment

(SEVESO III):

#### Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878) The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3

## National regulatory information

Water hazard class (D): 3 - strongly hazardous to water

### 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:



according to Regulation (EC) No 1907/2006

# Algenschutz

Revision date: 08.05.2023 Product code: Page 10 of 11

#### **SECTION 16: Other information**

#### Changes

Rev. 1.0: Initial release: 29.09.2020

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

AGW: Arbeitsplatzgrenzwert CAS Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of substances and mixtures

DNEL: Derived No Effect Level

d: day(s)

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European LIst of Notified Chemical Substances

ECHA: European Chemicals Agency EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

h: hour

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NLP: No-Longer Polymers

N/A: not applicable

OECD: Organisation for Economic Co-operation and Development

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

REACH: Registration, Evaluation, Authorisation of Chemicals

SVHC: substance of very high concern TRGS: Technische Regeln für Gefahrstoffe

**UN: United Nations** 

VOC: Volatile Organic Compounds

# Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Aquatic Chronic 1; H410	Calculation method

### Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

H410 Very toxic to aquatic life with long lasting effects.

#### **Further Information**

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:





according to Regulation (EC) No 1907/2006

# Algenschutz

Revision date: 08.05.2023 Product code: Page 11 of 11

Health hazards: Calculation method. Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)